



AN ISO 9001 : 2015 CERTIFIED




www.shivammetals.in

sales@shivammetals.in

+91 94622 08286

STAINLESS STEEL / CARBON STEEL / ALLOY STEEL / NICKEL ALLOY





COMPANY PROFILE

COMPANY NAME: SHIVAM METAL INDUSTRIES

REGISTERED OFFICE: SHOP NO. 30, ARBUDA ENTERPRISE, LAXMI CORPORATION ESTATE, NEAR CHAKUDIYA MAHADEV, RAKHIAL, AHMEDABAD 380023

CONTACT PERSON: SHYAM JANGID
VIRENDRA MODI

YEAR OF ESTABLISHMENT: 2015

E-MAIL: info@shivammetals.in
sales@shivammetals.in

PAN NO: BDFPG4028P

GST NO:-24BDFPG4028P1ZG

BANK NAME: IDFC BANK
BRANCH: MANINAGAR BRANCH
A/C NO: 10033671818
IFSC CODE: IDFB0040303



INTRODUCTION

SHIVAM METAL INDUSTRIES, is Manufacturer, Exporters, Importer, Stockiest & Suppliers of a wide variety of Metal Products In Pipes, Tubes, Fittings, Flanges, Plates, Coils, Rods, Valves, Fasteners etc. Our Products are manufactured as per JMS/ISS/BSS/DIN ASTM/ASME and customer's drawings and specifications. These are also supplied with third party Inspection.

SHIVAM METAL INDUSTRIES

is considered the foremost Manufacturer & Suppliers of a comprehensive range of Metal Products. The wide range of products Stainless Steel, Carbon Steel, Alloy Steel Pipes, Tubes, Rods, Sheets, Coils, Plates, Strips, Flanges, Butt-weld Fittings, Socket "Weld Fittings, in Hastelloy, Nickel Alloy, Monel, Inconel, Copper Alloy, Titanium Alloy, SMO 254, Duplex, Super Duplex, High Tensile, All these product offered by us have been widely appreciated by the customers owing to their superior quality and dimensional accuracy.

The objective of the company is to cater to the needs of the customers by providing them superior quality goods and ensuring customer satisfaction. To achieve this, we procure all the Materials from reliable manufacturers who produce the material using high quality raw material and latest technology. This has enabled us to gain trust of the customers and become a reliable business unit.

OUR CLIENT



THIRD PARTY INSPECTION



CONTACT PERSON

MR. SHYAM JANGID
+91 94622 08286
sales@shivammetals.in

MR. VIRENDRA MODI
+91 9930767171

Range: 15 NB UP TO 600 NB

Class: 150 LBS, 300 LBS, 400 LBS, 600 LBS, 1500 LBS, 2500 LBS / TABLE 2.5, TABLE 6, TABLE 10, TABLE 16, TABLE 40, TABLE 64, TABLE 160, TABLE 320, TABLE 400

Form: SLIP ON, SOCKET WELD, BLIND, LAPPED, SCREWED, WELD NECK, REDUCING, SPECTACLE, SLIP ON BOSS, PLATE, PLATE BLANK, SCREWED BOSS.

Hastelloy: C276/C22/B2/G2/G4/W/X/N/G/F. Monel: 400/401/ /404/502/K500 /R405
Inconel:600/601/625/718

Incoloy:600/1/4/10/17/25/71/700/2/5/800/800H/825/800/1/2/4/5/10/25/40/901/3/4

Titanium: GR1/2/5/9

Duplex: UNS NO. S31803, S32205, S32550, S32750, S32760.

Stainless Steel: ASTM/ASME SA 182 F304, 304L, 304H, 309H, 310H, 316, 316H, 316L, 316 LN, 317, 317L, 321, 321H, 347H.

Carbon Steel: ASTM / ASME A 105, ASTM / ASME A 350 LF 2.

Others: Super Duplex, Alloy Steel, Nickel, Copper, Titanium, Aluminium, Brass, Zinc etc.





Range: 15NB to 800NB in SCH 5S, 10S, 20, 40S, 40, STD, 60, 80S, 80, XS, 100, 120, 140, 160 & XXS.

Form: SEAMLESS & WELDED Long Radius & Short Radius Elbow, Reducing Elbow, Tee, Crosses, Reducer, Stub end, Collar, Pipe Cap, Bend, R= 3 D, 5 D, 6 D, 8 D, 10 D, & 20 D in 15 Deg, 30 Deg, 60 Deg & 90 Deg And Drawing Based Butt Weld Fitting (Customized).

Hastelloy: C276/C22/B2/G2/G4/W/X/N/G/F,

Monel: 400/401/404/502/K500 /R405

Inconel: 600/601/625/718 Incoloy: 600/1/4/10/17/25/71/700/2/5/800/800H/825 /800/1/2/4/5/10/25/40/901/3/4/Titanium: Gr1/2/5/9

Duplex: UNS NO. S31803, S32205, S32550, S32750, S 32760

Stainless Steel: ASTM / ASME SA 403 GR WP "S" / "W" / "WX" 304, 304L, 304H, 04N, 304LN, 309, 310H, 316, 316H, 317, 317L, 321, 321H, 347, 347H

Carbon Steel: ASTM / ASME A 234 WPB, WPC, ASTM / ASME A 860 WPHY 42/46/52/60

Others: Super Duplex, Alloy Steel, Nickel, Copper, Brass, Bronze, Zinc, Lead etc.

Range: 3.17MM TO 35 MM DIA

Form: Round, Square, Rectangular, Flat, Hex etc

Hastelloy: K500/R405 C276/C22/B2/G2/G4/W/X/N/G/F Monel: 400/401/404/502/404/502

Inconel: 600/601/625/718 Incoloy: 600/1/4/10/17/25/71/700/2/5/800/800H/825/


800/1/2/4/5/10/25/40/901/3/4 Titanium: Gr1/2/5/9 Duplex: UNS NO. S31803, S32205, S32500, S32750, S32760.

Stainless Steel: ASTM / ASME SA 276 TP 304, 304L, 3095, 309H, 310S, 316, 316L, 316Ti, 317, 321, 347, 410, 430, 431, 440 A, B & C, 446

Carbon Steel: ASTM/ASME A 105

Alloy Steel: ASTM / ASME A 182 GR F5, F9, F11, F12, F22, F91. ASTM / ASME A 729 GR B 11 & B 22.

Others: Super Duplex, Nickel, Copper, Titanium, Brass, Zinc etc.



Range: 0.1 mm to 100 mm thick upto 3000 mm width.

Length: As Per Customer requirement or in Coil form.

Hastelloy: C276/C22/B2/G2/G4/W/X/N/G/F, Monel: 400/401/404/502 / K500/R405

Inconel: 600/601/625/718 Incoloy: Gr 1/2/5/9, Duplex: UNS NO. S31803, S32205, D32550, S32750, S32760

Stainless Steel: GR TP 304, 304L, 304H, 309S, 309H, 310S, 310H, 316, 316Ti, 316H, 316LN, 317, 317L, 321, 321H, 347, 347H, 904L.

Carbon Steel: ASTM / ASME A 53 GR A, B, ASTM / ASME 106 GR A, B, C. API 5L GR. B, API 5LX42, X46, X52, X60, X70. ASTM / ASME A691 GR. A, B, C.


Others: Super Duplex, Alloy Steel, Copper, Titanium, Aluminium, Brass, Bronze, Zinc, Lead etc.



JSL
JINDAL STAINLESS

TATA
Steelium
CR Sheets and Coils
Helps shape your dreams

JSW Steel



Range: 15NB UP TO 100 NB IN 2000 LBS, 3000 LBS, 6000 LBS & 9000 LBS, 150 LBS, 250 LBS

Form: Elbow 90 Deg, Cross, Tee, Elbow 45 Deg, Coupling, Half Coupling & End Cap.

Hastelloy: C276/C22/B2/G2/G4/W/X/N/G/F, Monel: 400/401/404/502/K500/R405

Inconel: 600/601/625/718 Incoloy: 600/1/4/10/17/25/71/2/5/800/800H/825/800/1/2/4/5/10/25/40/901/3/4

Titanium: GR 1/2/5/9 Duplex: UNS NO. S31803, S32205, S32550, S32750, S32760.

Stainless Steel: ASTM / ASME SA 182 F304, 304L, 304H, 309H, 310H, 316, 316H, 316L, 316LN, 317, 317L, 321, 321H, 347, 347H etc.

Carbon Steel: ASTM / ASME A105, ASTM / ASME A 350 LF 2

Alloy Steel: ASTM / ASME A 182 GR F5, F9, F11, F12, F22, F91.

Others: Super Duplex, Nickel, Copper, Titanium, Brass etc.



FASTNERS



Range: M5 to M50

M Form: Bolts Stud Bolts, Hex, Head Bolts, Socket Hexagon Head Screw Anchor Bolts, U-Bolts, J Bolts, Mushroom Head Square Neck Bolts, T-Head Bolts, Wing Screw, Eye Bolt, Eye Bolt, Foundation Bolts, Structural Bolts.

Hastelloy: C276/C22/B2/G2/G4/W/X/N/G/F
Monel: 400/401/404/502 / K500/R405 101/404/502

Inconel : 1:600/601/625/718 Incoloy: 600/1/4/10/17/25/71/700/2/5/800/800H/825/825/800/1/2/4/5/10/25/40/901/3/4 Titanium: Gr1/2/5/9 Duplex: UNS NO. S31803, S32205, S32550, S32750, S32760

Stainless Steel: 202, 304, 310, 304L, 316, 316L, 316Ti 317, 317L, 321, 904L

Nickel: Nickel 200 (UNS No. 2200), Nickel 201 (UNS No. 2201), Nickel 205 (UNS No. 2205)

Others: Carbon Steel, Alloy Steel, Super Duplex Steel, Copper, Titanium, Brass etc.



Range: 15NB to 800NB in SCH 5S, 10S, 20, 40S, 40, STD, 60, 80S, 80, XS, 100, 120, 140, 160 & XXS.

Form: Seamless / ERW / Welded in Round, Square, Rectangular, U' Tube & Corrugated Tubes.

Hastelloy: C276/C22/B2/G2/G4/W/X/N/G/F, Monel: 400/401/404/502/K500/R405
Inconel: 600/601/625/718

Incoloy: 600/1/4/10/17/25/71/700/2/5/800/800H/825/800/1/2/4/5/10/25/40/901/3/4
Titanium: Gr 1/2/5/9, Duplex: UNS NO. S31803, S32205, S32550, S32750, S32760.

Stainless Steel: GR TP 304, 304L, 304H, 309S, 309H, 310S, 310H, 316, 316Ti, 316H, 316LN, 317, 317L, 321, 321H, 347, 347H, 904L.

Carbon Steel: ASTM / ASME A 53 GR A, B, ASTM / ASME 106 GR A, B, C, API 5L GR B, API 5LX42, X46, X52, X60, X70, ASTM / ASME A 691 GR A, B, C.



- Elbows

90° Elbow (Female or Male-Female)

45° Elbow, Street Elbow

Reducing Elbow

- Tees and Crosses

Equal Tee, Reducing Tee

Cross (4-Way)

- Couplings and Unions

Full Coupling, Half Coupling

Reducing Coupling, Union (Hex or Nut)

SMS Union

- Nipples and Bushings

Hexagon Nipple (Hex Nipple)

Barrel Nipple, Reducing Bushing

Reducing Hex Nipple, Swage Nipple

Hose Nipple / Nozzle

- Caps and Plugs

Hexagon Cap. Round Cap

Square Plug. Hexagon Plug

Dummy Cap (Female Threaded)

Supreme Control System

- Specialized & Pipe Adapters

Male-Female Adapter

Socket Weld Fittings

Weldolet / Sockolet / Thredolet

Insert

Reducing Adapter

Welding Boss

- Valves and Flanges

Ball Valves (1 Pc, 3pc, Threaded, Socket Weld)

Check Valves (NRV), Needle Valve

Manifold Valve



All Products Available



- Dairy bends/elbow
- Dairy Tees
- Dairy Reducer
- Dairy Union
- Tri-clover
- Pipe holder clamp
- Dairy Valve
- Spray ball
- Sight Glass
- Caps and plugs
- Filters and strainer
- Manhole covers



Valve, NRB and NRV

- Ball Valve
- Gate Valve
- Globe Valve
- Butterfly Valve
- Check Valve
- Diaphragm Valve
- Needle Valve
- Plug Valve
- Safety Valve
- Solenoid Valve
- Pinch Valve
- Angle Valve




Grade:- 304, 304L, 304H, 316, 316L, 316H, 316Ti, 321, 309, 310, 347, 409, 410, 420, 430, 904L, etc.

Forms:- Forging & Plate Cut

Thickenss:- 0.3 mm to 125 mm

Size:- As per Customer requirement.

Nickel Alloys:- Monel, Inconnel, Hastelloy, Nickel, Cupro Nicke, Titanium, Duplex, Super Duplex etc.



INDUSTRIES WE SERVE



SUGAR INDUSTRIES



WATER PLANT



PHARMA INDUSTRIES



OIL & GAS INDUSTRIES



CHEMICAL INDUSTRIES



NUCLEAR POWER



BEVERAGE INDUSTRIES



SHIP BUILDING



CEMENT INDUSTRIES



REFINERY PLANT



DAIRY PLANT



FOOD MACHINERY

WHY CHOOSE US



QUICK COMMUNICATION




CUSTOMER FOCUSED APPROACH



EXPERIENCED TEAM



PRODUCT QUALITY STANDARDS



GOOD FINANCIAL POSITION & TQM



CUSTOMIZED PACKAGING



TIMELY DELIVERY SCHEDULE



TIMELY DELIVERY OF MATERIAL



INTERNATIONAL SUPPORT



SHIVAM

METAL INDUSTRIES

AN ISO 9001 : 2015 CERTIFIED COMPANY

Mr. Shyam Jangid (Sales Head)
+91 94622 08286

Mr. Virendra Modi (MD Sales & Marketing)
+91 99307 67171

**Manufacturer, Stockist & Suppliers of
Stainless Steel, Alloy Steel and Carbon Steel
In All Grade, Size & Shape**

EMAIL & WEBSITE

info@shivammetals.in
sales@shivammetals.in
www.shivammetals.in



Head office:

Pushpa Sadan Building, 2nd Floor, Office No. 10 Girgaon, Mumbai-400004.

Branch Office:

Shop No. 30, Laxmi Corp. Estate, Opp. Chakudiya Mahadev, Rakhial, Ahmedabad-380023

Manufacturing Unit:

Block No. 643, Behind Bharat Petrol Pump, Lamdapura Savli, Vadodara-391775

